






Prestazioni / Performance / Leistungen / Performances / Prestaciones
B



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (a) (N)	Fr2 (b) (N)	
0.12	183.8	6	15.2	7.62	BA42	63A4	-	1814	166-167
	131.8	8	10.9	10.62			-	2027	
	108.1	10	8.9	12.95			-	2165	
	96.8	11	8.0	14.46			-	2246	
	85.0	13	9.4	16.47			-	2346	
	60.9	18	6.7	22.97			-	2621	
	50.0	22	5.5	28.00			-	2800	
	44.8	24	4.9	31.27			-	2905	
	41.4	26	4.6	33.78			-	2981	
	29.7	37	3.3	47.12			-	3331	
	24.4	45	2.7	57.43			-	3558	
	21.8	50	2.2	64.13			-	3691	
	17.9	61	1.8	78.17			-	3943	
	15.7	69	1.7	57.43		BA42	63B6	-	
14.0	78	1.4	64.13				-	4000	
11.5	95	1.2	78.17				-	4000	
10.3	101	2.2	136.53		BA53	63A4	-	4000	170-171
8.1	127	1.7	172.53				-	4000	
7.1	145	1.5	197.11				-	4000	
5.6	184	1.2	249.08				-	4000	
5.2	200	1.1	271.16				-	4000	
4.1	252	0.9	342.65				-	4000	
4.3	237	1.9	321.85		BA73	63A4	10000	5500	174-175
3.9	264	1.7	357.95				10000	5500	
3.2	326	1.4	442.76				10000	5500	
0.18	183.8	9	10.1	7.62	BA42	63B4	-	1814	166-167
	131.8	12	7.3	10.62			-	2027	
	108.1	15	6.0	12.95			-	2165	
	96.8	17	5.3	14.46			-	2246	
	85.0	19	6.2	16.47			-	2346	
	60.9	27	4.5	22.97			-	2621	
	50.0	33	3.7	28.00			-	2800	
	44.8	36	3.3	31.27			-	2905	
	41.4	39	3.0	33.78			-	2981	
	29.7	55	2.2	47.12			-	3331	
	24.4	67	1.8	57.43			-	3558	
	21.8	75	1.5	64.13			-	3691	
	17.9	91	1.2	78.17			-	3943	
	14.0	116	0.9	64.13		BA42	71A6	-	
11.5	142	0.8	78.17				-	4000	
15.0	103	2.1	93.33		BA53	63B4	-	4000	170-171
12.5	123	1.8	111.61				-	4000	
10.3	151	1.5	136.53				-	4000	
8.1	191	1.2	172.53				-	4000	
7.1	218	1.0	197.11				-	4000	
5.6	275	0.8	249.08				-	4000	
5.4	288	1.6	260.20		BA73	63B4	10000	5500	
4.3	356	1.3	321.85				10000	5500	
3.9	396	1.1	357.95				10000	5500	
3.2	489	0.9	442.76				10000	5500	
0.25	183.8	12	7.3	7.62	BA42	71A4	-	1814	166-167
	131.8	17	5.2	10.62			-	2027	
	108.1	21	4.3	12.95			-	2165	




B Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (a) (N)	Fr2 (b) (N)	
0.25	96.8	23	3.8	14.46	BA42	71A4	-	2246	166-167
	85.0	27	4.5	16.47			-	2346	
	60.9	37	3.2	22.97			-	2621	
	50.0	45	2.6	28.00			-	2800	
	44.8	51	2.4	31.27			-	2905	
	41.4	55	2.2	33.78			-	2981	
	29.7	76	1.6	47.12			-	3331	
	24.4	93	1.3	57.43			-	3558	
	21.8	104	1.1	64.13			-	3691	
	17.9	127	0.9	78.17			-	3943	
	19.1	119	1.0	47.12	BA42	71B6	-	3859	166-167
	15.7	145	0.8	57.43			-	4000	
	21.6	105	1.9	64.87	BA52	71A4	-	3970	168-169
	17.7	128	1.6	79.07			-	4000	
	19.0	113	1.9	73.70	BA53	71A4	-	4000	170-171
	15.0	143	1.5	93.33			-	4000	
	12.5	171	1.3	111.61			-	4000	
	10.3	210	1.0	136.53			-	4000	
8.1	265	0.8	172.53			-	4000		
7.8	277	1.6	180.23	BA73	71A4	10000	5500	174-175	
6.3	342	1.3	222.93			10000	5500		
5.4	399	1.1	260.20			10000	5500		
4.3	494	0.9	321.85			10000	5500		
0.37	183.8	18	4.9	7.62	BA42	71B4	-	1814	166-167
	131.8	25	3.5	10.62			-	2027	
	108.1	31	2.9	12.95			-	2165	
	96.8	35	2.6	14.46			-	2246	
	85.0	39	3.0	16.47			-	2346	
	60.9	55	2.2	22.97			-	2621	
	50.0	67	1.8	28.00			-	2800	
	44.8	75	1.6	31.27			-	2905	
	41.4	81	1.5	33.78			-	2981	
	29.7	113	1.1	47.12			-	3331	
	24.4	138	0.9	57.43			-	3558	
	33.4	101	2.0	41.97	BA52	71B4	-	3433	168-169
	27.3	123	1.8	51.34			-	3672	
	21.6	156	1.3	64.87			-	3970	
	17.7	190	1.1	79.07			-	4000	
	19.0	167	1.3	73.70	BA53	71B4	-	4000	170-171
	15.0	212	1.0	93.33			-	4000	
	12.5	254	0.9	111.61			-	4000	
11.6	273	1.6	120.34	BA73	71B4	10000	5500	174-175	
9.4	340	1.3	149.73			10000	5500		
7.8	409	1.1	180.23			10000	5500		
6.3	506	0.9	222.93			10000	5500		
0.55	183.8	27	3.3	7.62	BA42	80A4	-	1814	166-167
	131.8	38	2.4	10.62			-	2027	
	108.1	46	2.0	12.95			-	2165	
	96.8	52	1.7	14.46			-	2246	
	85.0	59	2.0	16.47			-	2346	
	60.9	82	1.5	22.97			-	2621	
	50.0	100	1.2	28.00			-	2800	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
B



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (a) (N)	Fr2 (b) (N)	
0.55	44.8	111	1.1	31.27	BA42	80A4	-	2905	166-167
	41.4	120	1.0	33.78			-	2981	
	68.4	73	2.7	20.46	BA52	80A4	-	2702	168-169
	55.9	89	2.2	25.03			-	2890	
	44.3	113	1.8	31.63			-	3124	
	39.9	125	1.6	35.10			-	3235	
	33.4	150	1.3	41.97			-	3433	
	27.3	183	1.2	51.34			-	3672	
	21.6	231	0.9	64.87			-	3970	
	21.4	221	2.0	65.35	BA73	80A4	10000	5041	174-175
17.3	273	1.6	80.83	10000			5411		
14.4	329	1.4	97.29	10000			5500		
11.6	406	1.1	120.34	10000			5500		
9.4	506	0.9	149.73	10000			5500		
12.0	393	2.17	116.25	B083	80A4	18000	9300	178-179	
11.0	428	1.99	126.76			18000	9541		
9.7	489	1.74	144.77			18000	9920		
0.75	183.8	37	2.4	7.62	BA42	80B4	-	1814	166-167
	131.8	52	1.7	10.62			-	2027	
	108.1	63	1.4	12.95			-	2165	
	96.8	70	1.3	14.46			-	2246	
	85.0	80	1.5	16.47			-	2346	
	60.9	112	1.1	22.97			-	2621	
	50.0	136	0.9	28.00			-	2800	
	44.8	152	0.8	31.27			-	2905	
	81.8	83	2.4	17.11	BA52	80B4	-	2546	168-169
	68.4	99	2.0	20.46			-	2702	
55.9	122	1.6	25.03	-			2890		
44.3	154	1.3	31.63	-			3124		
39.9	171	1.2	35.10	-			3235		
33.4	204	1.0	41.97	-			3433		
27.3	250	0.9	51.34	-			3672		
36.0	189	1.1	25.03	BA52	90S6	-	3349	168-169	
28.5	239	0.8	31.63			-	3620		
31.9	202	2.2	43.89	BA73	80B4	8828	4414	174-175	
26.5	243	1.8	52.83			9391	4696		
21.4	301	1.5	65.35			10000	5041		
17.3	372	1.2	80.83			10000	5411		
14.4	448	1.0	97.29			10000	5500		
15.2	424	2.0	92.19	B083	80B4	18000	8544	178-179	
13.9	463	1.84	100.57			18000	8763		
13.3	485	1.75	105.29			18000	8879		
12.0	535	1.59	116.25			18000	9135		
11.0	584	1.46	126.76			18000	9361		
9.7	667	1.28	144.77			18000	9715		
0.92	183.8	45	2.0	7.62	BA42	80C4	-	1814	166-167
	131.8	63	1.4	10.62			-	2027	
	108.1	77	1.2	12.95			-	2165	
	96.8	86	1.0	14.46			-	2246	
	85.0	98	1.2	16.47			-	2346	
	60.9	137	0.9	22.97			-	2621	




B Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (a) (N)	Fr2 (b) (N)		
0.92	176.9	47	3.4	7.91	BA52	80C4	-	1969	168-169	
	148.0	56	2.8	9.46			-	2090		
	121.0	69	2.3	11.57			-	2235		
	95.7	87	1.8	14.63			-	2416		
	81.8	102	2.0	17.11			-	2546		
	68.4	122	1.6	20.46			-	2702		
	55.9	149	1.3	25.03			-	2890		
	44.3	189	1.1	31.63			-	3124		
	39.9	209	1.0	35.10			-	3235		
	33.4	250	0.8	41.97			-	3433		
	42.4	197	2.1	33.04	BA72	80C4	8031	4016	172-173	
	34.3	244	1.6	40.87			8621	4311		
	30.7	272	1.3	45.64			8944	4472		
	25.5	328	1.1	54.94			9515	4757		
	20.6	405	0.9	67.96			10000	5107		
	31.9	248	1.8	43.89	BA73	80C4	8828	4414	174-175	
	26.5	298	1.5	52.83			9391	4696		
	21.4	369	1.2	65.35			10000	5041		
	17.3	457	1.0	80.83			10000	5411		
	17.3	456	1.86	80.76	B083	80C4	18000	8121	178-179	
	15.2	521	1.63	92.19			18000	8433		
	13.9	568	1.50	100.57			18000	8641		
	13.3	595	1.43	105.29			18000	8752		
	12.0	657	1.29	116.25			18000	8994		
	11.0	716	1.19	126.76			18000	9208		
	9.7	818	1.04	144.77			18000	9540		
	9.7	817	2.20	144.69	B103	80C4	22000	12015	180-181	
	8.5	933	1.93	165.25			22000	12488		
1.1	176.9	56	2.8	7.91	BA52	90S4	-	1969	168-169	
	148.0	67	2.4	9.46			-	2090		
	121.0	83	1.9	11.57			-	2235		
	95.7	104	1.5	14.63			-	2416		
	81.8	122	1.6	17.11			-	2546		
	68.4	146	1.4	20.46			-	2702		
	55.9	178	1.1	25.03			-	2890		
	44.3	225	0.9	31.63			-	3124		
		51.0	196	2.1	27.45	BA72	90S4	7550	3775	172-173
		42.4	236	1.8	33.04			8031	4016	
	34.3	291	1.4	40.87			8621	4311		
	30.7	325	1.1	45.64			8944	4472		
	25.5	392	0.9	54.94			9515	4757		
	31.9	296	1.5	43.89	BA73	90S4	8828	4414	174-175	
	26.5	357	1.3	52.83			9391	4696		
	21.4	441	1.0	65.35			10000	5041		
	27.4	346	2.46	51.19	B083	90S4	18000	7041	178-179	
	25.2	375	2.27	55.52			18000	7209		
	23.4	405	2.10	59.96			18000	7371		
	22.0	430	1.97	63.74			18000	7501		
	20.2	467	1.82	69.14			18000	7677		
	19.1	494	1.72	73.14			18000	7799		
	17.3	545	1.56	80.76			18000	8018		
	15.2	623	1.37	92.19			18000	8315		
	13.9	679	1.25	100.57			18000	8513		



Prestazioni / Performance / Leistungen / Performances / Prestaciones
B



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (a) (N)	Fr2 (b) (N)					
1.1	13.3	711	1.20	105.29	B083	90S4	18000	8618	178-179				
	12.0	785	1.08	116.25			18000	8846					
	11.0	856	0.99	126.76			18000	9046					
	9.7	978	0.87	144.77			18000	9355					
	13.3	712	2.53	105.44	B103	90S4	22000	10843	180-181				
	12.2	775	2.32	114.80			22000	11117					
	11.6	813	2.21	120.42			22000	11272					
	10.5	897	2.01	132.87			22000	11597					
	9.7	977	1.84	144.69			22000	11884					
	8.5	1116	1.61	165.25			22000	12338					
1.5	176.9	77	2.1	7.91	BA52	90L4	-	1969	168-169				
	148.0	92	1.7	9.46			-	2090					
	121.0	113	1.4	11.57			-	2235					
	95.7	142	1.1	14.63			-	2416					
	81.8	166	1.2	17.11			-	2546					
	68.4	199	1.0	20.46			-	2702					
	55.9	243	0.8	25.03			-	2890					
	63.1	216	1.9	22.19	BA72	90L4	7033	3517	172-173				
	51.0	267	1.6	27.45			7550	3775					
	42.4	321	1.3	33.04			8031	4016					
	34.3	397	1.0	40.87			8621	4311					
	31.9	404	1.1	43.89	BA73	90L4	8828	4414	174-175				
	26.5	487	0.9	52.83			9391	4696					
	35.4	365	2.33	39.60	B083	90L4	18000	6414	178-179				
	32.6	396	2.15	42.95			18000	6565					
	30.8	418	2.03	45.44			18000	6670					
	27.4	471	1.80	51.19			18000	6895					
	25.2	511	1.66	55.52			18000	7052					
	23.4	552	1.54	59.96			18000	7201					
	22.0	587	1.45	63.74			18000	7320					
	20.2	637	1.33	69.14			18000	7480					
	19.1	674	1.26	73.14			18000	7592					
	17.3	744	1.14	80.76			18000	7789					
	15.2	849	1.00	92.19			18000	8053					
	13.9	926	0.92	100.57			18000	8227					
	13.3	970	0.88	105.29			18000	8319					
		19.2	670	2.54			72.76	B103		90L4	22000	9561	180-181
		17.7	727	2.34			78.90				22000	9789	
		16.7	770	2.34			83.66				22000	9955	
15.2		850	2.12	92.31	22000	10239							
13.3		971	1.85	105.44	22000	10631							
12.2		1057	1.70	114.80	22000	10885							
11.6		1109	1.62	120.42	22000	11029							
10.5		1224	1.47	132.87	22000	11329							
9.7		1332	1.35	144.69	22000	11592							
8.5		1522	1.18	165.25	22000	12005							
7.8		1661	2.11	180.40	B123	90L4	30000		17180		182-183		
1.84	176.9	94	1.7	7.91	BA52	90LL4	-	1969	168-169				
	148.0	113	1.4	9.46			-	2090					
	121.0	138	1.2	11.57			-	2235					
	95.7	174	0.9	14.63			-	2416					
	81.8	204	1.0	17.11			-	2546					
	68.4	244	0.8	20.46			-	2702					




B Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (a) (N)	Fr2 (b) (N)	
1.84	78.0	214	2.0	17.94	BA72	90LL4	6552	3276	172-173
	63.1	265	1.6	22.19			7033	3517	
	51.0	327	1.3	27.45			7550	3775	
	42.4	394	1.1	33.04			8031	4016	
	44.0	359	2.37	31.80			B083	90LL4	
	35.4	447	1.90	39.60	18000	6319			
	32.6	485	1.75	42.95	18000	6461			
	30.8	513	1.66	45.44	18000	6560			
	27.4	578	1.47	51.19	18000	6772			
	25.2	627	1.36	55.52	18000	6918			
	23.4	677	1.26	59.96	18000	7056			
	22.0	720	1.18	63.74	18000	7167			
	20.2	781	1.09	69.14	18000	7314			
	19.1	826	1.03	73.14	18000	7415			
	17.3	912	0.93	80.76	18000	7594			
21.6	733	2.32	64.89	B103	90LL4	22000	9134	180-181	
20.4	775	2.19	68.58			22000	9279		
19.2	822	2.07	72.76			22000	9436		
17.7	892	1.91	78.92			22000	9654		
16.7	945	1.90	83.66			22000	9812		
15.2	1043	1.73	92.31			22000	10081		
13.3	1191	1.51	105.44			22000	10450		
12.2	1297	1.39	114.80			22000	10688		
11.6	1360	1.32	120.42			22000	10823		
10.5	1501	1.20	132.87			22000	11101		
9.7	1634	1.10	144.69	22000	11344				
8.5	1867	0.96	165.25	22000	11721				
9.7	1631	2.15	144.43	B123	90LL4	30000	15849	182-183	
8.7	1810	1.93	160.23			30000	16242		
7.8	2038	1.72	180.40			30000	16686		
2.2	78.0	256	1.6	17.94	BA72	100LA4	6552	3276	172-173
	63.1	316	1.3	22.19			7033	3517	
	51.0	391	1.1	27.45			7550	3775	
	44.0	429	1.98	31.80	B083	100LA4	18000	5862	178-179
	40.6	466	1.82	34.49			18000	5993	
	35.4	535	1.59	39.60			18000	6218	
	32.6	580	1.47	42.95			18000	6351	
	30.8	614	1.39	45.44			18000	6444	
	27.4	691	1.23	51.19			18000	6641	
	25.2	750	1.13	55.52			18000	6776	
	23.4	810	1.05	59.96			18000	6903	
	22.0	861	0.99	63.74			18000	7004	
	20.2	934	0.91	69.14			18000	7137	
	19.1	988	0.86	73.14	18000	7228			
	26.4	716	2.37	53.02	B103	100LA4	22000	8520	180-181
23.9	790	2.15	58.50	22000			8760		
21.6	876	1.94	64.89	22000			9016		
20.4	926	1.84	68.58	22000			9155		
19.2	983	1.73	72.76	22000			9304		
17.7	1066	1.59	78.92	22000			9511		
16.7	1130	1.59	83.66	22000			9660		
15.2	1247	1.44	92.31	22000			9913		
13.3	1424	1.26	105.44	22000			10258		
12.2	1551	1.16	114.80	22000			10480		
11.6	1626	1.11	120.42	22000	10604				
10.5	1795	1.00	132.87	22000	10860				



Prestazioni / Performance / Leistungen / Performances / Prestaciones
B



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (a) (N)	Fr2 (b) (N)				
2.2	11.7	1615	2.17	119.60	B123	100LA4	30000	14785	182-183			
	10.8	1755	1.99	129.96			30000	15071				
	9.7	1951	1.79	144.43			30000	15430				
	8.7	2164	1.62	160.23			30000	15777				
	7.8	2437	1.44	180.40			30000	16162				
7.5	2529	1.98	187.24	B143	100LA4	45000	45000	184-185				
3	112.5	242	1.4	12.44	BA72	100LB4	5800	2900	172-173			
	93.9	290	1.4	14.91			6160	3080				
	78.0	349	1.2	17.94			6552	3276				
	61.4	420	2.02	22.82			B083	100LB4		18000	5213	178-179
	52.4	492	1.73	26.71						18000	5435	
47.5	543	1.56	29.50	18000	5575							
44.0	586	1.45	31.80	18000	5682							
40.6	635	1.34	34.49	18000	5797							
35.4	729	1.17	39.60	18000	5993							
32.6	791	1.07	42.95	18000	6107							
30.8	837	1.02	45.44	18000	6186							
34.0	757	2.24	41.12	B103	100LB4	22000	7754	180-181				
31.4	822	2.07	44.61			22000	7929					
29.6	871	1.95	47.28			22000	8055					
27.9	925	1.84	50.24			22000	8188					
26.4	977	1.74	53.02			22000	8306					
23.9	1078	1.58	58.50			22000	8524					
21.6	1195	1.42	64.89			22000	8755					
20.4	1263	1.35	68.58			22000	8878					
19.2	1340	1.27	72.76			22000	9010					
17.7	1454	1.17	78.92			22000	9192					
16.7	1541	1.17	83.66			22000	9322					
15.2	1700	1.06	92.31			22000	9541					
14.0	1836	1.91	99.70			B123	100LB4		30000	13509	182-183	
13.1	1964	1.78	106.65						30000	13699		
11.7	2203	1.59	119.60						30000	14013		
10.8	2394	1.46	129.96	30000	14233							
9.7	2660	1.32	144.43	30000	14498							
8.7	2951	1.19	160.23	30000	14743							
7.8	3323	1.05	180.40	30000	14999							
10.3	2513	1.99	136.44	B143	100LB4			45000	45000	184-185		
9.4	2755	1.81	149.59			45000	45000					
8.4	3067	1.63	166.53			45000	45000					
7.5	3449	1.45	187.24			45000	45000					
4	167.5	217	1.6	8.36	BA72	112M4	5079	2540	172-173			
	139.2	261	1.3	10.06			5403	2701				
	112.5	323	1.1	12.44			5800	2900				
	93.9	386	1.1	14.91			6160	3080				
84.4	408	2.09	16.60	B083	112M4	16308	4659	178-179				
76.4	450	1.89	18.32			16733	4781					
61.4	560	1.52	22.82			17680	5051					
52.4	656	1.30	26.71			18000	5245					
47.5	724	1.17	29.50			18000	5366					
44.0	781	1.09	31.80			18000	5456					
40.6	847	1.00	34.49	18000	5552							




B Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (a) (N)	Fr2 (b) (N)				
4	42.3	812	2.09	33.07	B103	112M4	22000	7127	180-181			
	39.0	881	1.93	35.87			22000	7283				
	34.0	1010	1.68	41.12			22000	7546				
	31.4	1095	1.55	44.61			22000	7704				
	29.6	1161	1.46	47.28			22000	7817				
	27.9	1234	1.38	50.24			22000	7935				
	26.4	1302	1.31	53.02			22000	8039				
	23.9	1437	1.18	58.50			22000	8229				
	21.6	1593	1.07	64.89			22000	8427				
	20.4	1684	1.01	68.58			22000	8532				
	20.2	1705	1.94	69.43			B123	112M4		30000	11890	182-183
	18.8	1827	1.92	74.42						30000	12056	
	17.5	1966	1.78	80.04						30000	12226	
	15.6	2207	1.59	89.87						30000	12486	
	14.0	2448	1.43	99.70						30000	12705	
	13.1	2619	1.34	106.65						30000	12839	
	11.7	2937	1.19	119.60						30000	13049	
	10.8	3191	1.10	129.96						30000	13185	
9.7	3547	0.99	144.43	30000	13334							
8.7	3935	0.89	160.23	30000	13452							
16.4	2101	2.38	85.54	B143	112M4	45000	45000	184-185				
14.9	2311	2.16	94.13			45000	45000					
13.2	2599	1.92	105.83			45000	45000					
12.5	2749	1.82	111.94			45000	45000					
11.2	3060	1.63	124.62			45000	45000					
10.3	3351	1.49	136.44			45000	45000					
9.4	3674	1.36	149.59			45000	45000					
8.4	4090	1.22	166.53			45000	45000					
7.5	4598	1.09	187.24			45000	45000					
4.8	167.5	260	1.3			8.36	BA72		112MS4	5079	2540	172-173
	139.2	313	1.1	10.06	5403	2701						
	179.3	230	2.17	7.81	B083	112MS4	13071	3735	178-179			
	162.4	254	2.36	8.62			13440	3840				
	133.4	309	2.10	10.49			14185	4053				
	120.8	341	2.20	11.59			14568	4162				
	97.0	425	1.90	14.43			15427	4408				
	84.4	489	1.74	16.60			15978	4565				
	76.4	540	1.57	18.32			16369	4677				
	61.4	672	1.26	22.82			17226	4922				
	52.4	787	1.08	26.71			17827	5093				
	47.5	869	0.98	29.50			18000	5198				
	52.8	781	1.92	26.51	B103	112MS4	22000	6605	180-181			
	45.8	900	1.78	30.55			22000	6854				
	42.3	974	1.74	33.07			22000	6994				
	39.0	1057	1.61	35.87			22000	7138				
	34.0	1212	1.40	41.12			22000	7380				
	31.4	1315	1.29	44.61			22000	7524				
29.6	1393	1.22	47.28	22000			7626					
27.9	1481	1.15	50.24	22000			7732					
26.4	1562	1.09	53.02	22000			7825					
23.9	1724	0.99	58.50	22000			7993					
25.8	1600	2.00	54.30	B123	112MS4	30000	10926	182-183				
23.6	1749	1.83	59.36			30000	11119					
22.4	1844	1.79	62.59			30000	11231					
20.2	2046	1.61	69.43			30000	11442					



Prestazioni / Performance / Leistungen / Performances / Prestaciones
B



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (a) (N)	Fr2 (b) (N)					
4.8	18.8	2193	1.60	74.42	B123	112MS4	30000	11576	182-183				
	17.5	2359	1.48	80.04			30000	11710					
	15.6	2648	1.32	89.87			30000	11906					
	14.0	2938	1.19	99.70			30000	12062					
	13.1	3143	1.11	106.65			30000	12151					
	11.7	3524	0.99	119.60			30000	12277					
	10.8	3830	0.91	129.96			30000	12346					
	19.9	2076	2.41	70.43	B143	112MS4	44917	44917	184-185				
	18.2	2273	2.20	77.12			45000	45000					
	16.4	2521	1.98	85.54			45000	45000					
	14.9	2774	1.80	94.13			45000	45000					
	13.2	3119	1.60	105.83			45000	45000					
	12.5	3299	1.52	111.94			45000	45000					
	11.2	3672	1.36	124.62			45000	45000					
	10.3	4021	1.24	136.44			45000	45000					
	9.4	4408	1.13	149.59			45000	45000					
	8.4	4907	1.02	166.53			45000	45000					
	7.5	5518	0.91	187.24			45000	45000					
	5.5	179.3	264	1.90			7.81	B083		132S4	12936	3696	178-179
		162.4	291	2.06			8.62				13290	3797	
133.4		354	1.83	10.49	14003	4001							
120.8		391	1.92	11.59	14367	4105							
97.0		487	1.66	14.43	15176	4336							
84.4		560	1.52	16.60	15690	4483							
76.4		619	1.37	18.32	16051	4586							
61.4		770	1.10	22.82	16830	4808							
52.4		902	0.94	26.71	17362	4961							
47.5		996	0.85	29.50	17681	5052							
73.5		643	2.18	19.06	B103	132S4	20894		5970		180-181		
59.1		800	1.75	23.70			22000		6326				
52.8		895	1.68	26.51			22000		6511				
45.8		1032	1.55	30.55			22000		6746				
42.3	1117	1.52	33.07	22000			6877						
39.0	1211	1.40	35.87	22000			7012						
34.0	1389	1.22	41.12	22000			7235						
31.4	1506	1.13	44.61	22000			7366						
29.6	1597	1.06	47.28	22000			7459						
27.9	1696	1.00	50.24	22000			7555						
34.5	1369	2.05	40.53	B123			132S4	30000	10032	182-183			
31.2	1516	1.98	44.89					30000	10244				
28.1	1682	1.90	49.80					30000	10453				
25.8	1833	1.75	54.30					30000	10620				
23.6	2004	1.60	59.36		30000	10784							
22.4	2113	1.56	62.59		30000	10878							
20.2	2344	1.41	69.43		30000	11050							
18.8	2513	1.39	74.42		30000	11156							
17.5	2703	1.30	80.04		30000	11258							
15.6	3034	1.15	89.87		30000	11399							
14.0	3366	1.04	99.70		30000	11499							
13.1	3601	0.97	106.65		30000	11549							
21.6	2191	2.28	64.88		B143	132S4		43103	43103		184-185		
19.9	2378	2.10	70.43					43830	43830				
18.2	2604	1.92	77.12	44611			44611						
16.4	2888	1.73	85.54	45000			45000						
14.9	3178	1.57	94.13	45000			45000						
13.2	3573	1.40	105.83	45000			45000						




B Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (a) (N)	Fr2 (b) (N)			
5.5	12.5	3780	1.32	111.94	B143	132S4	45000	45000	184-185		
	11.2	4208	1.19	124.62			45000	45000			
	10.3	4607	1.09	136.44			45000	45000			
	9.4	5051	0.99	149.59			45000	45000			
	8.4	5623	0.89	166.53			45000	45000			
	13.6	3482	2.30	103.12	B153	132S4	65000	65000	186-187		
	11.3	4183	1.91	123.88			65000	65000			
	10.4	4534	1.76	134.27			65000	65000			
	9.4	5040	1.59	149.26			65000	65000			
	8.5	5585	1.43	165.42			65000	65000			
7.5	179.3	360	1.39	7.81	B083	132L4	12548	3585	178-179		
	162.4	397	1.51	8.62			12862	3675			
	133.4	483	1.35	10.49			13482	3852			
	120.8	534	1.41	11.59			13791	3940			
	97.0	664	1.22	14.43			14459	4131			
	84.4	764	1.11	16.60			14866	4247			
	76.4	844	1.01	18.32	15140	4326					
	172.3	374	2.14	8.13	B103	132L4	16093	4598	180-181		
	156.1	413	2.18	8.97			16548	4728			
	128.2	503	1.99	10.92			17481	4995			
	116.2	555	1.80	12.05			17956	5130			
	93.4	690	1.74	14.99			19026	5436			
	81.1	795	1.76	17.27			19731	5637			
	73.5	877	1.60	19.06			20221	5777			
	59.1	1091	1.28	23.70			21303	6087			
	52.8	1221	1.23	26.51			21853	6244			
	45.8	1407	1.14	30.55			22000	6438			
	42.3	1523	1.12	33.07			22000	6544			
	39.0	1652	1.03	35.87			22000	6650			
	45.5	1418	1.97	30.79			B123	132L4		30000	8942
44.8	1440	1.95	31.26	30000						8968	
40.4	1597	1.75	34.68	30000	9139						
34.5	1866	1.50	40.53	30000	9378						
31.2	2067	1.45	44.89	30000	9520						
28.1	2293	1.40	49.80	30000	9650						
25.8	2500	1.28	54.30	30000	9744						
23.6	2733	1.17	59.36	30000	9827						
22.4	2882	1.15	62.59	30000	9868						
20.2	3197	1.03	69.43	30000	9930						
18.8	3426	1.02	74.42	30000	9956						
17.5	3685	0.95	80.04	30000	9968						
15.6	4138	0.85	89.87	30000	9950						
26.3	2448	2.04	53.16	B143	132L4	38937			38937	184-185	
25.6	2515	1.99	54.63			39126	39126				
23.7	2717	1.84	59.02			39644	39644				
21.6	2987	1.67	64.88			40244	40244				
19.9	3243	1.54	70.43			40727	40727				
18.2	3551	1.41	77.12			41212	41212				
16.4	3939	1.27	85.54			41698	41698				
14.9	4334	1.15	94.13			42070	42070				
13.2	4873	1.03	105.83			42408	42408				
12.5	5154	0.97	111.94			42518	42518				
11.2	5738	0.87	124.62			42622	42622				



Prestazioni / Performance / Leistungen / Performances / Prestaciones
B



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (a) (N)	Fr2 (b) (N)			
7.5	16.7	3863	2.07	83.89	B153	132L4	65000	65000	186-187		
	16.0	4036	1.98	87.65			65000	65000			
	15.0	4284	1.87	93.05			65000	65000			
	13.6	4748	1.68	103.12			65000	65000			
	11.3	5704	1.40	123.88			65000	65000			
	10.4	6182	1.29	134.27			65000	65000			
	9.4	6873	1.16	149.26			65000	65000			
	8.5	7616	1.05	165.42			65000	65000			
9.2	179.3	441	1.13	7.81	B083	132M4	12218	3491	178-179		
	162.4	487	1.23	8.62			12497	3571			
	133.4	593	1.10	10.49			13039	3725			
	120.8	654	1.15	11.59			13302	3801			
	97.0	815	0.99	14.43			13850	3957			
	172.3	459	1.74	8.13	B103	132M4	15849	4528	180-181		
	156.1	506	1.78	8.97			16279	4651			
	128.2	617	1.62	10.92			17153	4901			
	116.2	681	1.47	12.05			17595	5027			
	93.4	846	1.42	14.99			18576	5308			
	81.1	975	1.44	17.27			19213	5489			
	73.5	1076	1.30	19.06			19649	5614			
	59.1	1339	1.05	23.70			20592	5883			
52.8	1498	1.00	26.51	21057			6016				
45.8	1726	0.93	30.55	21616			6176				
61.5	1287	2.18	22.78	B123	132M4	28320	8091	182-183			
54.1	1462	1.91	25.89			28989	8282				
50.9	1554	1.80	27.51			29291	8369				
45.5	1739	1.61	30.79			29819	8520				
44.8	1766	1.59	31.26			29887	8539				
40.4	1959	1.43	34.68			30000	8664				
34.5	2289	1.22	40.53			30000	8823				
31.2	2536	1.18	44.89			30000	8905				
28.1	2813	1.14	49.80			30000	8967				
25.8	3067	1.04	54.30			30000	9000				
23.6	3353	0.95	59.36			30000	9014				
22.4	3535	0.93	62.59			30000	9011				
34.7	2276	2.11	40.29			B143	132M4		35384	35384	184-185
31.7	2494	1.92	44.16						35938	35938	
29.0	2731	1.83	48.35	36451	36451						
26.3	3002	1.67	53.16	36946	36946						
25.6	3085	1.62	54.63	37080	37080						
23.7	3333	1.50	59.02	37434	37434						
21.6	3665	1.36	64.88	37814	37814						
19.9	3978	1.26	70.43	38088	38088						
18.2	4356	1.15	77.12	38324	38324						
16.4	4832	1.03	85.54	38494	38494						
14.9	5316	0.94	94.13	38544	38544						
13.2	5977	0.84	105.83	38444	38444						
19.7	4018	1.99	71.15	B153	132M4			65000	65000	186-187	
18.1	4362	1.83	77.22			65000	65000				
16.7	4738	1.69	83.89			65000	65000				
16.0	4951	1.62	87.65			65000	65000				
15.0	5255	1.52	93.05			65000	65000				
13.6	5824	1.37	103.12			65000	65000				
11.3	6997	1.14	123.88			65000	65000				
10.4	7584	1.05	134.27			65000	65000				
9.4	8431	0.95	149.26			65000	65000				




B Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (a) (N)	Fr2 (b) (N)				
11	172.3	549	1.46	8.13	B103	160M4	15591	4454	180-181			
	156.1	606	1.49	8.97			15994	4570				
	128.2	738	1.36	10.92			16806	4802				
	116.2	814	1.23	12.05			17212	4918				
	93.4	1012	1.19	14.99			18100	5172				
	81.1	1166	1.20	17.27			18664	5333				
	73.5	1287	1.09	19.06			19044	5441				
	59.1	1600	0.87	23.70			19839	5668				
	112.2	843	2.37	12.48			B123	160M4		24194	6912	182-183
	101.1	935	2.25	13.84						24748	7071	
91.0	1039	2.02	15.38	25298	7228							
75.4	1254	1.75	18.58	26238	7497							
67.9	1392	1.80	20.61	26723	7635							
61.5	1538	1.82	22.78	27163	7761							
54.1	1748	1.60	25.89	27674	7907							
50.9	1858	1.51	27.51	27893	7970							
45.5	2080	1.35	30.79	28255	8073							
44.8	2111	1.33	31.26	28299	8085							
40.4	2342	1.20	34.68	28562	8160							
34.5	2737	1.02	40.53	28821	8235							
31.2	3032	0.99	44.89	28888	8254							
28.1	3363	0.95	49.80	28856	8245							
42.4	2229	2.11	33.01	B143	160M4	32778	32778	184-185				
38.2	2477	1.94	36.67			33331	33331					
34.7	2721	1.76	40.29			33786	33786					
31.7	2982	1.61	44.16			34186	34186					
29.0	3265	1.53	48.35			34534	34534					
26.3	3590	1.39	53.16			34838	34838					
25.6	3689	1.36	54.63			34913	34913					
23.7	3985	1.25	59.02			35093	35093					
21.6	4382	1.14	64.88			35241	35241					
19.9	4757	1.05	70.43			35295	35295					
18.2	5208	0.96	77.12	35265	35265							
16.4	5777	0.87	85.54	35101	35101							
25.6	3690	2.17	54.64	B153	160M4	62261	62261	186-187				
24.4	3868	2.07	57.27			63059	63059					
23.0	4114	1.94	60.92			64114	64114					
22.1	4286	1.87	63.47			64816	64816					
19.7	4805	1.67	71.15			65000	65000					
18.1	5215	1.53	77.22			65000	65000					
16.7	5665	1.41	83.89			65000	65000					
16.0	5919	1.35	87.65			65000	65000					
15.0	6284	1.27	93.05			65000	65000					
13.6	6964	1.15	103.12			65000	65000					
11.3	8366	0.96	123.88	65000	65000							
10.4	9067	0.88	134.27	65000	65000							
15	172.3	748	1.07	8.13	B103	160L4	15017	4290	180-181			
	156.1	826	1.09	8.97			15361	4389				
	128.2	1006	0.99	10.92			16035	4581				
	116.2	1110	0.90	12.05			16361	4675				
	93.4	1380	0.87	14.99			17042	4869				
	81.1	1590	0.88	17.27			17444	4984				
	175.8	734	2.04	7.97			B123	160L4		20831	5952	182-183
	145.5	886	2.03	9.62						21685	6196	
	135.5	952	2.10	10.33						21999	6286	
	112.2	1149	1.74	12.48						22785	6510	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
B



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (a) (N)	Fr2 (b) (N)				
15	101.1	1275	1.65	13.84	B123	160L4	23185	6624	182-183			
	91.0	1417	1.48	15.38			23562	6732				
	75.4	1711	1.29	18.58			24142	6898				
	67.9	1898	1.32	20.61			24397	6971				
	61.5	2098	1.33	22.78			24591	7026				
	54.1	2384	1.17	25.89			24751	7072				
	50.9	2533	1.11	27.51			24788	7082				
	45.5	2836	0.99	30.79			24779	7080				
	44.8	2879	0.97	31.26			24770	7077				
	40.4	3194	0.88	34.68			24647	7042				
	96.7	1334	2.32	14.49			B143	160L4		26286	26286	184-185
	82.2	1569	2.04	17.04						27153	27153	
	75.0	1718	2.10	18.66						27614	27614	
	66.7	1934	2.07	21.00						28183	28183	
	61.5	2097	2.10	22.77						28550	28550	
	54.6	2360	1.95	25.63						29041	29041	
	51.0	2527	1.82	27.44						29297	29297	
	46.6	2767	1.70	30.05						29602	29602	
42.4	3040	1.55	33.01	29869	29869							
38.2	3377	1.42	36.67	30099	30099							
34.7	3710	1.29	40.29	30235	30235							
31.7	4067	1.18	44.16	30294	30294							
29.0	4453	1.12	48.35	30272	30272							
26.3	4895	1.02	53.16	30153	30153							
25.6	5031	0.99	54.63	30099	30099							
23.7	5435	0.92	59.02	29892	29892							
21.6	5975	0.84	64.88	29522	29522							
33.1	3895	2.05	42.30	B153	160L4	56476			56476	186-187		
29.5	4377	1.83	47.53			58211	58211					
27.7	4656	1.72	50.56			59133	59133					
25.6	5032	1.59	54.64			60293	60293					
24.4	5274	1.52	57.27			60996	60996					
23.0	5610	1.43	60.92			61919	61919					
22.1	5845	1.37	63.47			62529	62529					
19.7	6552	1.22	71.15			64222	64222					
18.1	7111	1.12	77.22			65000	65000					
16.7	7725	1.04	83.89			65000	65000					
16.0	8072	0.99	87.65			65000	65000					
15.0	8569	0.93	93.05			65000	65000					
18.5	175.8	905	1.66			7.97	B123	180M4	20044		5727	182-183
	145.5	1093	1.65			9.62			20735		5924	
	135.5	1174	1.70	10.33	20979	5994						
	112.2	1417	1.41	12.48	21553	6158						
	101.1	1572	1.34	13.84	21818	6234						
	91.0	1747	1.20	15.38	22043	6298						
	75.4	2110	1.04	18.58	22307	6373						
	67.9	2341	1.07	20.61	22362	6389						
	61.5	2587	1.08	22.78	22341	6383						
	54.1	2940	0.95	25.89	22194	6341						
	50.9	3124	0.90	27.51	22071	6306						
	129.2	1231	2.44	10.84	B143	180M4			23819	23819	184-185	
	118.0	1348	2.30	11.87					24258	24258		
	96.7	1645	1.88	14.49					25169	25169		
	82.2	1935	1.65	17.04					25839	25839		
	75.0	2119	1.70	18.66					26175	26175		
	66.7	2385	1.68	21.00					26564	26564		
	61.5	2586	1.70	22.77					26794	26794		



B Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (a) (N)	Fr2 (b) (N)				
18.5	54.6	2911	1.58	25.63	B143	180M4	27064	27064	184-185			
	51.0	3117	1.48	27.44			27181	27181				
	46.6	3412	1.38	30.05			27285	27285				
	42.4	3749	1.25	33.01			27323	27323				
	38.2	4165	1.15	36.67			27271	27271				
	34.7	4576	1.05	40.29			27128	27128				
	31.7	5016	0.96	44.16			26888	26888				
	29.0	5492	0.91	48.35			26544	26544				
	26.3	6037	0.83	53.16			26054	26054				
	41.6	3820	2.09	33.63			B153	180M4		52056	52056	186-187
	40.0	3977	2.01	35.02						52598	52598	
	36.1	4408	1.82	38.81						53983	53983	
	33.1	4804	1.67	42.30						55143	55143	
	29.5	5399	1.48	47.53						56713	56713	
	27.7	5743	1.39	50.56						57539	57539	
	25.6	6206	1.29	54.64						58570	58570	
24.4	6505	1.23	57.27	59191	59191							
23.0	6919	1.16	60.92	59998	59998							
22.1	7209	1.11	63.47	60529	60529							
19.7	8081	0.99	71.15	61980	61980							
18.1	8771	0.91	77.22	62991	62991							
22	175.8	1076	1.39	7.97	B123	180L4			19257	5502	182-183	
	145.5	1299	1.39	9.62					19785	5653		
	135.5	1396	1.43	10.33					19958	5702		
	112.2	1686	1.19	12.48					20320	5806		
	101.1	1870	1.12	13.84			20451	5843				
	91.0	2078	1.01	15.38			20523	5864				
	75.4	2509	0.88	18.58			20472	5849				
	67.9	2783	0.90	20.61			20326	5807				
	129.2	1464	2.05	10.84			B143	180L4	22984	22984		184-185
	118.0	1603	1.93	11.87					23342	23342		
	96.7	1956	1.58	14.49					24052	24052		
	82.2	2302	1.39	17.04					24524	24524		
	75.0	2520	1.43	18.66					24736	24736		
	66.7	2836	1.41	21.00					24945	24945		
	61.5	3076	1.43	22.77					25038	25038		
	54.6	3461	1.33	25.63					25088	25088		
51.0	3706	1.24	27.44	25065	25065							
46.6	4058	1.16	30.05	24968	24968							
42.4	4458	1.05	33.01	24778	24778							
38.2	4953	0.97	36.67	24443	24443							
34.7	5442	0.88	40.29	24021	24021							
90.9	2080	2.40	15.40	B153	180L4	41507			41507	186-187		
75.4	2506	2.39	18.56			43708			43708			
68.1	2777	2.34	20.56			44945			44945			
58.7	3222	2.08	23.86			46756	46756					
55.6	3402	2.00	25.19			47422	47422					
49.6	3813	2.10	28.23			48829	48829					
46.1	4099	1.95	30.35			49724	49724					
41.6	4543	1.76	33.63			50996	50996					
40.0	4730	1.69	35.02			51495	51495					
36.1	5241	1.53	38.81			52759	52759					
33.1	5713	1.40	42.30			53810	53810					
29.5	6420	1.25	47.53			55215	55215					
27.7	6829	1.17	50.56			55946	55946					


Prestazioni / Performance / Leistungen / Performances / Prestaciones
B

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (a) (N)	Fr2 (b) (N)					
22	25.6	7380	1.08	54.64	B153	180L4	56848	56848	186-187				
	24.4	7736	1.03	57.27			57385	57385					
	23.0	8229	0.97	60.92			58078	58078					
	22.1	8573	0.93	63.47			58528	58528					
30	129.2	1996	1.50	10.84	B143	200L4	21073	21073	184-185				
	118.0	2186	1.42	11.87			21251	21251					
	96.7	2668	1.16	14.49			21498	21498					
	82.2	3139	1.02	17.04			21521	21521					
	75.0	3436	1.05	18.66			21448	21448					
	66.7	3867	1.03	21.00			21244	21244					
	61.5	4194	1.05	22.77			21024	21024					
	54.6	4720	0.97	25.63			20571	20571					
	51.0	5054	0.91	27.44			20228	20228					
	46.6	5534	0.85	30.05			19672	19672					
	133.4	1932	2.33	10.49			B153	200L4		36423	36423	186-187	
	110.7	2328	1.93	12.64						38333	38333		
	99.9	2580	1.94	14.01						39403	39403		
	90.9	2836	1.76	15.40						40397	40397		
75.4	3418	1.76	18.56	42371	42371								
68.1	3787	1.72	20.56	43463	43463								
58.7	4394	1.52	23.86	45037	45037								
55.6	4639	1.47	25.19	45607	45607								
49.6	5200	1.54	28.23	46795	46795								
46.1	5590	1.43	30.35	47538	47538								
41.6	6194	1.29	33.63	48573	48573								
40.0	6449	1.24	35.02	48972	48972								
36.1	7147	1.12	38.81	49963	49963								
33.1	7790	1.03	42.30	50762	50762								
29.5	8754	0.91	47.53	51790	51790								
27.7	9312	0.86	50.56	52303	52303								
37	133.4	2383	1.89	10.49	B153	225S4	35762	35762	186-187				
	110.7	2872	1.57	12.64			37536	37536					
	99.9	3182	1.57	14.01			38520	38520					
	90.9	3498	1.43	15.40			39426	39426					
	75.4	4215	1.42	18.56			41202	41202					
	68.1	4671	1.39	20.56			42167	42167					
	58.7	5419	1.24	23.86			43533	43533					
	55.6	5721	1.19	25.19			44019	44019					
	46.1	6894	1.16	30.35			45625	45625					
	41.6	7640	1.05	33.63			46453	46453					
	40.0	7954	1.01	35.02			46764	46764					
	36.1	8815	0.91	38.81			47517	47517					
	45	133.4	2899	1.55			10.49	B153		225M4	35006	35006	186-187
		110.7	3493	1.29			12.64				36625	36625	
99.9		3871	1.29	14.01	37511	37511							
90.9		4254	1.18	15.40	38317	38317							
75.4		5126	1.17	18.56	39865	39865							
68.1		5681	1.14	20.56	40685	40685							
58.7		6591	1.02	23.86	41814	41814							
55.6		6958	0.98	25.19	42204	42204							
49.6		7799	1.03	28.23	42982	42982							
46.1		8384	0.95	30.35	43438	43438							