







S Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)	
0.12	7.9	137	2.56	177.55	S053	63A4	6000	6000	212-213
	7.1	153	2.29	198.45			6000	6000	
	6.4	167	2.09	217.64			6000	6000	
	5.5	197	1.77	256.33			6000	6000	
	4.5	242	1.45	314.21			6000	6000	
0.18	11.9	136	2.58	117.48	S053	63B4	6000	6000	212-213
	10.2	159	2.21	137.45			6000	6000	
	7.9	205	1.71	177.55			6000	6000	
	7.1	229	1.53	198.45			6000	6000	
	6.4	251	1.39	217.64			6000	6000	
	5.5	296	1.18	256.33			6000	6000	
	4.5	363	0.97	314.21			6000	6000	
0.25	14.6	154	2.28	95.84	S053	71A4	6000	6000	212-213
	11.9	188	1.86	117.48			6000	6000	
	10.2	220	1.59	137.45			6000	6000	
	7.9	285	1.23	177.55			6000	6000	
	7.1	318	1.10	198.45			6000	6000	
	6.4	349	1.00	217.64			6000	6000	
	5.5	411	0.85	256.33	6000	6000			
	9.3	242	2.48	150.85	S063	71A4	10000	4000	214-215
	7.6	297	2.02	185.05			10000	4000	
	6.4	349	1.72	217.79			10000	4000	
	5.2	428	1.40	267.16			10000	4000	
	5.6	402	2.49	250.50	S083	71A4	18000	7200	216-217
	4.8	469	2.13	292.36			18000	7200	
4.4	506	1.98	315.73	18000			7200		
3.9	578	1.73	360.58	18000			7200		
0.37	24.2	140	2.50	57.86	S052	71B4	6000	6000	212-213
	19.2	176	1.98	72.83			6000	6000	
	18.9	176	1.99	74.20	S053	71B4	6000	6000	212-213
	14.6	227	1.54	95.84			6000	6000	
	11.9	279	1.26	117.48			6000	6000	
	10.2	326	1.07	137.45			6000	6000	
	14.0	237	2.53	99.89	S063	71B4	10000	4000	214-215
	11.1	300	2.00	126.43			10000	4000	
	9.3	358	1.68	150.85			10000	4000	
	7.6	439	1.37	185.05			10000	4000	
	6.4	517	1.16	217.79			10000	4000	
	5.2	634	0.95	267.16			10000	4000	
	7.6	439	2.28	184.88			S083	71B4	
	6.9	482	2.08	203.11	18000	7200			
	5.6	594	1.68	250.50	18000	7200			
	4.8	694	1.44	292.36	18000	7200			
	4.4	749	1.33	315.73	18000	7200			
	3.9	855	1.17	360.58	18000	7200			
	4.4	761	2.10	320.79	S103	71B4			22000
4.1	820	1.95	345.60	22000			9000		
3.5	936	1.71	394.69	22000			9000		
0.55	32.8	154	2.28	42.63	S052	80A4	6000	6000	212-213
	29.7	170	2.06	47.20			6000	6000	
	26.8	188	1.86	52.25			6000	6000	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
S



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)	
0.55	24.2	208	1.68	57.86	S052	80A4	6000	6000	212-213
	19.2	262	1.33	72.83			6000	6000	
	18.9	262	1.34	74.20	S053	80A4	6000	6000	212-213
	14.6	338	1.04	95.84			6000	6000	
	20.8	243	2.47	67.47	S062	80A4	10000	4000	214-215
	17.2	287	2.09	81.43	S063	80A4	10000	4000	214-215
	14.0	352	1.70	99.89			10000	4000	
	11.1	446	1.35	126.43			10000	4000	
	9.3	532	1.13	150.85			10000	4000	
	10.9	454	2.20	128.73	S083	80A4	18000	9236	216-217
	8.8	560	1.79	158.76			18000	7200	
	7.6	652	1.53	184.88			18000	7200	
6.9	716	1.40	203.11	18000			7200		
5.6	883	1.13	250.50	18000			7200		
4.8	1031	0.97	292.36	18000			7200		
4.4	1113	0.90	315.73	18000			7200		
6.9	716	2.23	203.11	S103			80A4	22000	
6.3	786	2.04	222.85		22000	9000			
5.1	967	1.65	274.20		22000	9000			
4.4	1131	1.41	320.79		22000	9000			
4.1	1219	1.31	345.60		22000	9000			
3.5	1392	1.15	394.69		22000	9000			
0.75	46.7	147	1.97		30.00	S052		80B4	5727
	43.0	160	1.88	32.55	5834		5834		
	38.3	179	1.84	36.55	5983		5983		
	35.1	196	1.79	39.90	6000		6000		
	32.8	209	1.67	42.63	6000		6000		
	29.7	232	1.51	47.20	6000		6000		
	26.8	257	1.36	52.25	6000		6000		
	24.2	284	1.23	57.86	6000		6000		
	19.2	358	0.98	72.83	6000		6000		
	18.9	357	0.98	74.20	S053		80B4		6000
	26.2	263	2.28	53.53	S062	80B4	10000	4000	214-215
	25.5	270	2.22	55.00			10000	4000	
	20.8	331	1.81	67.47			10000	4000	
	17.2	392	1.53	81.43	S063	80B4	10000	4000	214-215
	14.0	480	1.25	99.89			10000	4000	
	11.1	608	0.99	126.43			10000	4000	
	11.9	564	1.77	117.17	S083	80B4	18000	8925	216-217
	10.9	619	1.62	128.73			18000	9236	
	8.8	764	1.31	158.76			18000	7200	
	7.6	889	1.12	184.88			18000	7200	
	6.9	977	1.02	203.11			18000	7200	
	8.1	836	1.91	173.78			S103	80B4	
	6.9	977	1.64	203.11	22000	9000			
	6.3	1072	1.49	222.85	22000	9000			
	5.1	1319	1.21	274.20	22000	9000			
	4.4	1543	1.04	320.79	22000	9000			
	4.1	1662	0.96	345.60	22000	9000			






S Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)																																																																																																																																																																																																																																																																																																																																															
0.75	4.6	1448	2.07	301.16	S123	80B4	30000	11200	220-221																																																																																																																																																																																																																																																																																																																																														
	4.1	1654	1.81	343.93			30000	11200		0.92	58.2	145	1.79	24.07	S052	80C4	5279	5279	212-213	54.3	155	1.87	25.79	5360	5360	50.3	168	1.73	27.81	5447	5447	46.7	181	1.60	30.00	5533	5533	43.0	196	1.53	32.55	5624	5624	38.3	220	1.50	36.55	5747	5747	35.1	240	1.46	39.90	5836	5836	32.8	257	1.36	42.63	5900	5900	29.7	284	1.23	47.20	5993	5993	26.8	315	1.11	52.25	6000	6000	24.2	349	1.00	57.86	6000	6000	30.4	278	2.16	46.10	S062	80C4	10000	4000	214-215	26.2	322	1.86	53.53	10000	4000	25.5	331	1.81	55.00	10000	4000	20.8	406	1.48	67.47	10000	4000	17.2	480	1.25	81.43	S063	80C4	10000	4000	214-215	14.0	589	1.02	99.89	10000	4000	15.3	540	1.85	91.49	S083	80C4	18000	8152	216-217	11.9	691	1.45	117.17	18000	8925	10.9	759	1.32	128.73	18000	9236	8.8	937	1.07	158.76	18000	7200	7.6	1091	0.92	184.88	18000	7200	10.9	759	2.11	128.73	S103	80C4	22000	11195	218-219	9.9	833	1.92	141.24	22000	11580	8.1	1025	1.56	173.78	22000	9000	6.9	1198	1.34	203.11	22000	9000	6.3	1315	1.22	222.85	22000	9000	5.1	1618	0.99	274.20	22000	9000	5.0	1652	1.82	280.10	S123	80C4	30000	11200	220-221	4.6	1777	1.69	301.16	30000	11200	4.1	2029	1.48	343.93	30000	11200	1.1	102.5	98	2.13	13.66	S052	90S4	4506	4506	212-213	91.7	110	2.18	15.27	4629	4629	86.0	117	2.05	16.29	4700	4700	75.1	134	1.80	18.63	4846	4846	66.6	152	1.72	21.04	4975	4975	58.2	173	1.50	24.07	5114	5114	54.3	186	1.56	25.79	5183	5183	50.3	200	1.45	27.81	5257	5257	46.7	216	1.34	30.00	5328	5328	43.0	234	1.28	32.55	5401	5401	38.3	263	1.25	36.55	5497	5497	35.1	287	1.22	39.90	5563	5563	32.8	307	1.14	42.63	5608	5608	29.7	340	1.03	47.20	5670	5670	26.8	376	0.93	52.25	5719	5719	46.7	216	2.31	30.00	S062	90S4	9948	3979	214-215	41.3	244	2.21	33.93	10000	4000	38.3	263	2.28	36.57	10000	4000	35.6	284	2.12	39.38	10000	4000	32.1	314	1.91	43.64	10000	4000		
0.92	58.2	145	1.79	24.07	S052	80C4	5279	5279	212-213																																																																																																																																																																																																																																																																																																																																														
	54.3	155	1.87	25.79			5360	5360																																																																																																																																																																																																																																																																																																																																															
	50.3	168	1.73	27.81			5447	5447																																																																																																																																																																																																																																																																																																																																															
	46.7	181	1.60	30.00			5533	5533																																																																																																																																																																																																																																																																																																																																															
	43.0	196	1.53	32.55			5624	5624																																																																																																																																																																																																																																																																																																																																															
	38.3	220	1.50	36.55			5747	5747																																																																																																																																																																																																																																																																																																																																															
	35.1	240	1.46	39.90			5836	5836																																																																																																																																																																																																																																																																																																																																															
	32.8	257	1.36	42.63			5900	5900																																																																																																																																																																																																																																																																																																																																															
	29.7	284	1.23	47.20			5993	5993																																																																																																																																																																																																																																																																																																																																															
	26.8	315	1.11	52.25			6000	6000																																																																																																																																																																																																																																																																																																																																															
	24.2	349	1.00	57.86			6000	6000																																																																																																																																																																																																																																																																																																																																															
	30.4	278	2.16	46.10			S062	80C4			10000	4000	214-215																																																																																																																																																																																																																																																																																																																																										
	26.2	322	1.86	53.53							10000	4000																																																																																																																																																																																																																																																																																																																																											
	25.5	331	1.81	55.00							10000	4000																																																																																																																																																																																																																																																																																																																																											
	20.8	406	1.48	67.47							10000	4000																																																																																																																																																																																																																																																																																																																																											
	17.2	480	1.25	81.43			S063	80C4			10000	4000	214-215																																																																																																																																																																																																																																																																																																																																										
	14.0	589	1.02	99.89							10000	4000																																																																																																																																																																																																																																																																																																																																											
	15.3	540	1.85	91.49			S083	80C4			18000	8152	216-217																																																																																																																																																																																																																																																																																																																																										
	11.9	691	1.45	117.17							18000	8925																																																																																																																																																																																																																																																																																																																																											
	10.9	759	1.32	128.73						18000	9236																																																																																																																																																																																																																																																																																																																																												
8.8	937	1.07	158.76	18000	7200																																																																																																																																																																																																																																																																																																																																																		
7.6	1091	0.92	184.88	18000	7200																																																																																																																																																																																																																																																																																																																																																		
10.9	759	2.11	128.73	S103	80C4	22000	11195	218-219																																																																																																																																																																																																																																																																																																																																															
9.9	833	1.92	141.24			22000	11580																																																																																																																																																																																																																																																																																																																																																
8.1	1025	1.56	173.78			22000	9000																																																																																																																																																																																																																																																																																																																																																
6.9	1198	1.34	203.11			22000	9000																																																																																																																																																																																																																																																																																																																																																
6.3	1315	1.22	222.85			22000	9000																																																																																																																																																																																																																																																																																																																																																
5.1	1618	0.99	274.20			22000	9000																																																																																																																																																																																																																																																																																																																																																
5.0	1652	1.82	280.10			S123	80C4		30000	11200	220-221																																																																																																																																																																																																																																																																																																																																												
4.6	1777	1.69	301.16	30000	11200																																																																																																																																																																																																																																																																																																																																																		
4.1	2029	1.48	343.93	30000	11200																																																																																																																																																																																																																																																																																																																																																		
1.1	102.5	98	2.13	13.66	S052	90S4	4506	4506	212-213																																																																																																																																																																																																																																																																																																																																														
	91.7	110	2.18	15.27			4629	4629																																																																																																																																																																																																																																																																																																																																															
	86.0	117	2.05	16.29			4700	4700																																																																																																																																																																																																																																																																																																																																															
	75.1	134	1.80	18.63			4846	4846																																																																																																																																																																																																																																																																																																																																															
	66.6	152	1.72	21.04			4975	4975																																																																																																																																																																																																																																																																																																																																															
	58.2	173	1.50	24.07			5114	5114																																																																																																																																																																																																																																																																																																																																															
	54.3	186	1.56	25.79			5183	5183																																																																																																																																																																																																																																																																																																																																															
	50.3	200	1.45	27.81			5257	5257																																																																																																																																																																																																																																																																																																																																															
	46.7	216	1.34	30.00			5328	5328																																																																																																																																																																																																																																																																																																																																															
	43.0	234	1.28	32.55			5401	5401																																																																																																																																																																																																																																																																																																																																															
	38.3	263	1.25	36.55			5497	5497																																																																																																																																																																																																																																																																																																																																															
	35.1	287	1.22	39.90			5563	5563																																																																																																																																																																																																																																																																																																																																															
	32.8	307	1.14	42.63			5608	5608																																																																																																																																																																																																																																																																																																																																															
	29.7	340	1.03	47.20			5670	5670																																																																																																																																																																																																																																																																																																																																															
	26.8	376	0.93	52.25			5719	5719																																																																																																																																																																																																																																																																																																																																															
	46.7	216	2.31	30.00			S062	90S4		9948	3979	214-215																																																																																																																																																																																																																																																																																																																																											
	41.3	244	2.21	33.93						10000	4000																																																																																																																																																																																																																																																																																																																																												
	38.3	263	2.28	36.57						10000	4000																																																																																																																																																																																																																																																																																																																																												
	35.6	284	2.12	39.38						10000	4000																																																																																																																																																																																																																																																																																																																																												
	32.1	314	1.91	43.64						10000	4000																																																																																																																																																																																																																																																																																																																																												




Prestazioni / Performance / Leistungen / Performances / Prestaciones
S


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)				
1.1	30.4	332	1.81	46.10	S062	90S4	10000	4000	214-215			
	26.2	386	1.56	53.53			10000	4000				
	25.5	396	1.51	55.00			10000	4000				
	20.8	486	1.23	67.47			10000	4000				
	17.2	574	1.04	81.43	S063	90S4	10000	4000	214-215			
	22.6	446	2.24	61.98	S082	90S4	18000	7055	216-217			
	20.7	476	2.10	67.52	S083	90S4	18000	7285	216-217			
	18.9	523	1.91	74.18			18000	7544				
	15.3	645	1.55	91.49			18000	8152				
	11.9	826	1.21	117.17			18000	8925				
	10.9	908	1.10	128.73			18000	9236				
	8.8	1120	0.89	158.76			18000	7200				
	14.0	706	2.27	100.15			S103	90S4		22000	10211	218-219
	12.7	780	2.05	110.55						22000	10588	
	10.9	908	1.76	128.73	22000	11195						
	9.9	996	1.61	141.24	22000	11580						
8.1	1226	1.31	173.78	22000	9000							
6.9	1433	1.12	203.11	22000	9000							
6.3	1572	1.02	222.85	22000	9000							
7.2	1372	2.19	194.59	S123	90S4	30000			11200	220-221		
5.9	1685	1.78	238.93			30000	11200					
5.0	1976	1.52	280.10			30000	11200					
4.6	2124	1.41	301.16			30000	11200					
4.1	2426	1.24	343.93			30000	11200					
1.5	162.3	85	2.01	8.63	S052	90L4	3871	3871	212-213			
	125.7	109	1.74	11.14			4112	4112				
	102.5	134	1.57	13.66			4298	4298				
	91.7	150	1.60	15.27			4397	4397				
	86.0	160	1.50	16.29			4452	4452				
	75.1	183	1.32	18.63			4562	4562				
	66.6	207	1.26	21.04			4655	4655				
	58.2	236	1.10	24.07			4748	4748				
	54.3	253	1.14	25.79			4791	4791				
	50.3	273	1.06	27.81			4834	4834				
	46.7	295	0.98	30.00			4871	4871				
	43.0	320	0.94	32.55			4905	4905				
	38.3	359	0.92	36.55			4941	4941				
	35.1	392	0.89	39.90			4956	4956				
	60.4	228	2.06	23.18			S062	90L4		8951	3581	214-215
	55.7	247	1.94	25.14						9112	3645	
	50.6	272	1.77	27.66	9296	3719						
	46.7	295	1.70	30.00	9450	3780						
	41.3	333	1.62	33.93	9675	3870						
	38.3	359	1.67	36.57	9806	3922						
	35.6	387	1.55	39.38	9929	3972						
	32.1	429	1.40	43.64	10000	4000						
	30.4	453	1.33	46.10	10000	4000						
	26.2	526	1.14	53.53	10000	4000						
	25.5	540	1.11	55.00	10000	4000						
	20.8	663	0.91	67.47	10000	4000						
	27.9	494	2.03	50.25	S082	90L4			18000	6521	216-217	
	25.8	533	1.88	54.27					18000	6712		
	22.6	609	1.64	61.98					18000	7055		



**S Prestazioni / Performance / Leistungen / Performances / Prestaciones**


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)					
1.5	20.7	649	1.54	67.52	S083	90L4	18000	7285	216-217				
	18.9	713	1.40	74.18			18000	7544					
	15.3	880	1.14	91.49			18000	8152					
	11.9	1127	0.89	117.17			18000	8925					
	18.9	713	2.24	74.18	S103	90L4	22000	9136	218-219				
	17.2	783	2.04	81.39			22000	9457					
	14.0	963	1.66	100.15			22000	10211					
	12.7	1063	1.50	110.55			22000	10588					
	10.9	1238	1.29	128.73			22000	11195					
	9.9	1358	1.18	141.24			22000	11580					
	8.1	1671	0.96	173.78			22000	9000					
		10.5	1287	2.33			133.78	S123		90L4	30000	14693	220-221
9.2		1457	2.06	151.43	30000	15442							
7.9		1708	1.76	177.53	30000	11200							
7.2		1872	1.60	194.59	30000	11200							
5.9		2298	1.31	238.93	30000	11200							
5.0		2694	1.11	280.10	30000	11200							
4.6		2897	1.04	301.16	30000	11200							
4.1		3308	0.91	343.93	30000	11200							
1.84		162.3	104	1.64	8.63	S052	90LL4		3759		3759	212-213	
		125.7	134	1.42	11.14				3968		3968		
	102.5	165	1.28	13.66	4121			4121					
	91.7	184	1.30	15.27	4199			4199					
	86.0	196	1.22	16.29	4241			4241					
	75.1	224	1.07	18.63	4321			4321					
	66.6	253	1.03	21.04	4383			4383					
	58.2	290	0.90	24.07	4437			4437					
	54.3	311	0.93	25.79	4457			4457					
	50.3	335	0.87	27.81	4474			4474					
		71.6	236	1.95	19.55			S062	90LL4	8333	3333		214-215
		60.4	279	1.68	23.18					8624	3450		
		55.7	303	1.58	25.14					8757	3503		
		50.6	333	1.44	27.66					8906	3562		
46.7		361	1.38	30.00	9027	3611							
41.3		409	1.32	33.93	9196	3678							
38.3		441	1.36	36.57	9289	3716							
35.6		474	1.26	39.38	9374	3749							
32.1		526	1.14	43.64	9475	3790							
30.4		555	1.08	46.10	9521	3808							
26.2		645	0.93	53.53	9613	3845							
25.5		663	0.91	55.00	9624	3849							
		35.0	483	2.07	40.05	S082	90LL4			18000	5983	216-217	
		32.5	519	1.93	43.05					18000	6150		
	27.9	605	1.65	50.25	18000			6521					
	25.8	654	1.53	54.27	18000			6712					
	22.6	747	1.34	61.98	18000			7055					
	20.7	797	1.26	67.52	S083	90LL4	18000	7285	216-217				
	18.9	875	1.14	74.18			18000	7544					
	15.3	1079	0.93	91.49			18000	8152					
	25.4	664	1.96	55.14	S102	90LL4	22000	8396	218-219				
	23.6	716	2.24	59.40			22000	8406					
	20.6	817	1.96	67.84			22000	8836					




Prestazioni / Performance / Leistungen / Performances / Prestaciones
S


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)					
1.84	18.9	875	1.83	74.18	S103	90LL4	22000	9136	218-219				
	17.2	960	1.67	81.39			22000	9457					
	14.0	1182	1.35	100.15			22000	10211					
	12.7	1304	1.23	110.55			22000	10588					
	10.9	1519	1.05	128.73			22000	11195					
	9.9	1666	0.96	141.24			22000	11580					
	12.4	1328	2.26	112.52	S123	90LL4	30000	13697	220-221				
	11.4	1455	2.06	123.33			30000	14218					
	10.5	1578	1.90	133.78			30000	14693					
	9.2	1787	1.68	151.43			30000	11200					
	7.9	2095	1.43	177.53			30000	11200					
	7.2	2296	1.31	194.59			30000	11200					
	5.9	2819	1.06	238.93			30000	11200					
	5.0	3305	0.91	280.10			30000	11200					
	2.2	162.3	124	1.37			8.63	S052		100LA4	3641	3641	212-213
		125.7	161	1.18			11.14				3815	3815	
102.5		197	1.07	13.66	3934	3934							
91.7		220	1.09	15.27	3990	3990							
86.0		235	1.02	16.29	4018	4018							
75.1		268	0.90	18.63	4066	4066							
66.6		303	0.86	21.04	4095	4095							
119.6		169	2.31	11.71	S062	100LA4	7228		2891		214-215		
104.8	192	2.18	13.36	7446			2978						
87.8	230	1.96	15.94	7731			3092						
71.6	282	1.63	19.55	8041			3217						
60.4	334	1.41	23.18	8278			3311						
55.7	362	1.33	25.14	8381			3353						
50.6	398	1.20	27.66	8493			3397						
46.7	432	1.16	30.00	8579			3431						
41.3	489	1.10	33.93	8689			3476						
38.3	527	1.14	36.57	8743			3497						
35.6	567	1.06	39.38	8785			3514						
32.1	629	0.95	43.64	8823			3529						
51.3	393	2.29	27.29	S082			100LA4	18000	5253	216-217			
44.1	458	2.18	31.78					18000	5474				
40.1	503	1.99	34.91		18000	5676							
35.0	577	1.73	40.05		18000	5983							
32.5	620	1.61	43.05		18000	6150							
27.9	724	1.38	50.25		18000	6521							
25.8	782	1.28	54.27		18000	6712							
22.6	893	1.12	61.98		18000	7055							
20.7	953	1.05	67.52		S083	100LA4		18000	7285		216-217		
18.9	1046	0.96	74.18					18000	7544				
31.8	634	2.05	44.00	S102	100LA4	22000	7724	218-219					
29.7	679	2.36	47.13			22000	7701						
25.4	794	1.64	55.14			22000	8396						
23.6	856	1.87	59.40			22000	8406						
20.6	977	1.64	67.84			22000	8836						
18.9	1046	1.53	74.18			S103	100LA4		22000	9136	218-219		
17.2	1148	1.39	81.39	22000	9457								
14.0	1413	1.13	100.15	22000	10211								
12.7	1559	1.03	110.55	22000	10588								



**S Prestazioni / Performance / Leistungen / Performances / Prestaciones**


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)				
2.2	12.4	1587	1.89	112.52	S123	100LA4	30000	13697	220-221			
	11.4	1740	1.72	123.33			30000	14218				
	10.5	1887	1.59	133.78			30000	14693				
	9.2	2136	1.40	151.43			30000	11200				
	7.9	2504	1.20	177.53			30000	11200				
	7.2	2745	1.09	194.59			30000	11200				
	5.9	3371	0.89	238.93			30000	11200				
3	162.3	169	1.00	8.63	S052	100LB4	3379	3379	212-213			
	125.7	219	0.87	11.14			3476	3476				
	175.0	157	2.10	8.00	S062	100LB4	6321	2528	214-215			
	146.7	188	1.92	9.55			6568	2627				
	119.6	230	1.70	11.71			6839	2736				
	104.8	262	1.60	13.36			7003	2801				
	87.8	313	1.44	15.94			7201	2881				
	71.6	384	1.20	19.55			7392	2957				
	60.4	455	1.03	23.18			7508	3003				
	55.7	494	0.97	25.14			7546	3019				
	50.6	543	0.88	27.66			7574	3030				
	80.9	340	2.27	17.29			S082	100LB4		17245	4523	216-217
	69.5	396	1.95	20.14						18000	4794	
	63.3	435	1.84	22.13						18000	4939	
	58.3	471	1.70	24.00						18000	5094	
51.3	536	1.68	27.29	18000	5253							
48.8	563	1.60	28.67	18000	5354							
44.1	624	1.60	31.78	18000	5474							
40.1	686	1.46	34.91	18000	5676							
35.0	787	1.27	40.05	18000	5983							
32.5	846	1.18	43.05	18000	6150							
27.9	987	1.01	50.25	18000	6521							
25.8	1066	0.94	54.27	18000	6712							
40.1	686	2.04	34.91	S102	100LB4	22000			7011	218-219		
36.6	752	1.99	38.30			22000	7187					
31.8	864	1.50	44.00			22000	7724					
29.7	926	1.73	47.13			22000	7701					
25.4	1083	1.20	55.14			22000	8396					
23.6	1167	1.37	59.40			22000	8406					
20.6	1333	1.20	67.84			22000	8836					
18.9	1427	1.12	74.18			S103	100LB4	22000	9136		218-219	
17.2	1566	1.02	81.39	22000	9457							
28.5	963	2.49	49.04	S122	100LB4	30000	10285	220-221				
26.0	1056	2.46	53.75			30000	10464					
21.2	1297	2.31	66.00			30000	10962					
19.7	1367	1.97	71.07	S123	100LB4	30000	11638	220-221				
16.0	1679	1.79	87.27			30000	12334					
12.4	2164	1.39	112.52			30000	13697					
11.4	2372	1.26	123.33			30000	14218					
10.5	2573	1.17	133.78			30000	14693					
9.2	2913	1.03	151.43			30000	11200					
7.9	3415	0.88	177.53			30000	11200					
4	175.0	210	1.57			8.00	S062		112M4	5989	2396	214-215
	146.7	250	1.44	9.55	6171	2469						
	119.6	307	1.27	11.71	6353	2541						




Prestazioni / Performance / Leistungen / Performances / Prestaciones
S


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)		
4	104.8	350	1.20	13.36	S062	112M4	6448	2579	214-215	
	87.8	417	1.08	15.94			6540	2616		
	71.6	512	0.90	19.55			6581	2632		
	89.0	412	1.87	15.73	S082	112M4	16441	4361	216-217	
	80.9	453	1.70	17.29			16873	4523		
	69.5	528	1.46	20.14			17574	4794		
	63.3	580	1.38	22.13			18000	4939		
	58.3	629	1.27	24.00			18000	5094		
	51.3	715	1.26	27.29			18000	5253		
	48.8	751	1.20	28.67			18000	5354		
	44.1	832	1.20	31.78			18000	5474		
	40.1	914	1.09	34.91			18000	5676		
	35.0	1049	0.95	40.05			18000	5983		
	32.5	1128	0.89	43.05			18000	6150		
		46.9	782	1.92			29.87	S102		112M4
43.2		849	1.77	32.40	22000	6741				
40.1		914	1.53	34.91	22000	7011				
36.6		1003	1.50	38.30	22000	7187				
31.8		1153	1.13	44.00	22000	7724				
29.7		1234	1.30	47.13	22000	7701				
	28.5	1285	1.87	49.04	S122	112M4	30000	10285	220-221	
	26.0	1408	1.85	53.75			30000	10464		
	21.2	1729	1.74	66.00			30000	10962		
	19.7	1823	1.48	71.07	S123	112M4	30000	11638	220-221	
	16.0	2238	1.34	87.27			30000	12334		
	12.4	2886	1.04	112.52			30000	13697		
	11.4	3163	0.95	123.33			30000	14218		
4.8	175.0	251	1.31	8.00	S062	112MS4	5723	2289	214-215	
	146.7	300	1.20	9.55			5855	2342		
	119.6	368	1.06	11.71			5964	2386		
	104.8	420	1.00	13.36			6005	2402		
	87.8	501	0.90	15.94			6011	2404		
	120.6	365	1.92	11.61	S082	112MS4	14898	3942	216-217	
	109.8	401	1.87	12.75			15287	4040		
	89.0	494	1.56	15.73			16170	4361		
	80.9	544	1.42	17.29			16575	4523		
	69.5	633	1.22	20.14			17228	4794		
	63.3	695	1.15	22.13			17631	4939		
	58.3	754	1.06	24.00			17980	5094		
	51.3	858	1.05	27.29			18000	5253		
	48.8	901	1.00	28.67			18000	5354		
	44.1	999	1.00	31.78			18000	5474		
	40.1	1097	0.91	34.91			18000	5676		
	73.7	597	2.34	19.00	S102	112MS4	21498	5547	218-219	
	63.3	695	2.01	22.13			22000	5886		
	57.7	763	1.97	24.28			22000	6028		
	53.2	828	1.81	26.33			22000	6222		
	46.9	939	1.60	29.87			22000	6533		
	43.2	1018	1.47	32.40			22000	6741		
	40.1	1097	1.28	34.91			22000	7011		
	36.6	1204	1.25	38.30			22000	7187		
	31.8	1383	0.94	44.00			22000	7724		

**S Prestazioni / Performance / Leistungen / Performances / Prestaciones**



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)					
4.8	34.1	1291	2.32	41.07	S122	112MS4	30000	8903	220-221				
	28.5	1541	1.56	49.04			30000	10285					
	26.0	1690	1.54	53.75			30000	10464					
	21.2	2075	1.45	66.00			30000	10962					
	19.7	2187	1.23	71.07	S123	112MS4	30000	11638	220-221				
	16.0	2686	1.12	87.27			30000	12334					
5.5	190.8	264	2.08	7.34	S082	132S4	12969	3437	216-217				
	173.6	290	2.07	8.06			13319	3515					
	140.8	358	1.81	9.94			14120	3760					
	120.6	418	1.67	11.61			14723	3942					
	109.8	459	1.63	12.75			15095	4040					
	89.0	566	1.36	15.73			15933	4361					
	80.9	623	1.24	17.29			16315	4523					
	69.5	725	1.06	20.14			16925	4794					
	63.3	797	1.00	22.13			17298	4939					
	58.3	864	0.93	24.00			17618	5094					
	51.3	983	0.92	27.29			18000	5253					
	48.8	1033	0.87	28.67			18000	5354					
	44.1	1144	0.87	31.78			18000	5474					
		128.6	392	2.42			10.88	S102		132S4	18160	4775	218-219
109.8		459	2.18	12.75	19014	5032							
100.1		504	2.38	13.99	19526	5063							
81.3		620	2.10	17.21	20700	5410							
73.7		684	2.05	19.00	21272	5547							
63.3		797	1.76	22.13	22000	5886							
57.7		874	1.72	24.28	22000	6028							
53.2		948	1.58	26.33	22000	6222							
46.9		1076	1.39	29.87	22000	6533							
43.2		1167	1.29	32.40	22000	6741							
40.1		1257	1.11	34.91	22000	7011							
36.6		1380	1.09	38.30	22000	7187							
		45.9	1099	2.73	30.51	S122	132S4		30000		7768	220-221	
		41.9	1205	2.49	33.44				30000		8107		
	34.1	1479	2.03	41.07	30000			8903					
	32.1	1570	1.91	43.60	30000			9145					
	28.5	1766	1.36	49.04	30000			10285					
	26.0	1936	1.34	53.75	30000			10464					
	21.2	2377	1.26	66.00	30000			10962					
		19.7	2506	1.08	71.07			S123	132S4	30000	11638		220-221
16.0		3078	0.97	87.27	30000	12334							
7.5	190.8	360	1.53	7.34	S082	132L4	12653	3437	216-217				
	173.6	396	1.52	8.06			12972	3515					
	140.8	488	1.33	9.94			13692	3760					
	120.6	570	1.23	11.61			14224	3942					
	109.8	626	1.20	12.75			14547	4040					
	89.0	772	1.00	15.73			15256	4361					
	173.6	396	2.15	8.06	S102	132L4	16342	4332	218-219				
	158.3	434	2.07	8.85			16782	4450					
	128.6	535	1.78	10.88			17790	4775					
	109.8	626	1.60	12.75			18580	5032					
	100.1	687	1.75	13.99			19051	5063					
	81.3	845	1.54	17.21			20115	5410					
	73.7	933	1.50	19.00			20627	5547					
	63.3	1087	1.29	22.13			21416	5886					
	57.7	1192	1.26	24.28			21895	6028					


Prestazioni / Performance / Leistungen / Performances / Prestaciones
S

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)					
7.5	53.2	1293	1.16	26.33	S102	132L4	22000	6222	218-219				
	46.9	1467	1.02	29.87			22000	6533					
	43.2	1591	0.94	32.40			22000	6741					
	53.5	1285	2.34	26.15	S122	132L4	30000	7222	220-221				
	49.0	1405	2.14	28.60			30000	7535					
	45.9	1499	2.00	30.51			30000	7768					
	41.9	1643	1.83	33.44			30000	8107					
	39.8	1729	1.74	35.20			30000	8300					
	34.1	2017	1.49	41.07			30000	8903					
	32.1	2141	1.40	43.60			30000	9145					
	28.5	2408	1.00	49.04			30000	10285					
	26.0	2640	0.98	53.75			30000	10464					
	21.2	3242	0.93	66.00			30000	10962					
	9.2	190.8	442	1.24			7.34	S082		132M4	12385	3437	216-217
173.6		486	1.24	8.06	12678	3515							
140.8		599	1.08	9.94	13328	3760							
120.6		699	1.00	11.61	13800	3942							
109.8		768	0.98	12.75	14080	4040							
173.6		486	1.75	8.06	S102	132M4	16109		4332		218-219		
158.3	533	1.69	8.85	16526			4450						
128.6	656	1.45	10.88	17476			4775						
109.8	768	1.30	12.75	18212			5032						
100.1	843	1.42	13.99	18646			5063						
81.3	1037	1.25	17.21	19618			5410						
73.7	1145	1.22	19.00	20078			5547						
63.3	1333	1.05	22.13	20777			5886						
57.7	1463	1.03	24.28	21194			6028						
53.2	1587	0.95	26.33	21552			6222						
	65.9	1280	2.19	21.25			S122	132M4	29365	6745		220-221	
	60.1	1403	2.07	23.29	29950	6937							
	53.5	1576	1.90	26.15	30000	7222							
	49.0	1723	1.74	28.60	30000	7535							
	45.9	1838	1.63	30.51	30000	7768							
	41.9	2015	1.49	33.44	30000	8107							
	39.8	2121	1.41	35.20	30000	8300							
	34.1	2474	1.21	41.07	30000	8903							
	32.1	2627	1.14	43.60	30000	9145							
	11	173.6	581	1.46	8.06	S102			160M4	15862	4332		218-219
		158.3	637	1.41	8.85					16256	4450		
128.6		784	1.21	10.88	17143		4775						
109.8		918	1.09	12.75	17822		5032						
100.1		1008	1.19	13.99	18218		5063						
81.3		1240	1.05	17.21	19091		5410						
	165.0	611	2.45	8.48	S122	160M4	22955	5596	220-221				
	150.6	670	2.54	9.30			23509	5602					
	122.6	822	2.31	11.42			24757	5907					
	110.9	910	2.42	12.63			25368	5851					
	101.2	997	2.41	13.84			25923	5888					
	82.4	1224	2.12	16.99			27144	6266					
	65.9	1531	1.83	21.25			28416	6745					
	60.1	1678	1.73	23.29			28910	6937					
	53.5	1884	1.59	26.15			29504	7222					
	49.0	2060	1.46	28.60			29934	7535					
	45.9	2198	1.36	30.51			30000	7768					
	41.9	2409	1.25	33.44			30000	8107					



S Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 D (N)	Fr2 C (N)					
11	39.8	2536	1.18	35.20	S122	160M4	30000	8300	220-221				
	34.1	2958	1.01	41.07			30000	8903					
	32.1	3140	0.96	43.60			30000	9145					
15	173.6	792	1.07	8.06	S102	160L4	15314	4332	218-219				
	158.3	869	1.04	8.85			15654	4450					
	165.0	833	1.80	8.48			22113	5596					
15	150.6	913	1.86	9.30	S122	160L4	22586	5602	220-221				
	122.6	1121	1.69	11.42			23624	5907					
	110.9	1240	1.77	12.63			24116	5851					
	101.2	1359	1.77	13.84			24550	5888					
	82.4	1669	1.56	16.99			25458	6266					
	65.9	2087	1.34	21.25			26307	6745					
	60.1	2288	1.27	23.29			26599	6937					
	53.5	2569	1.17	26.15			26909	7222					
	49.0	2809	1.07	28.60			27096	7535					
	45.9	2997	1.00	30.51			27199	7768					
	41.9	3285	0.91	33.44			27293	8107					
	39.8	3458	0.87	35.20			27317	8300					
	18.5	165.0	1028	1.46			8.48	S122		180M4	21376	5596	220-221
		150.6	1126	1.51			9.30				21779	5602	
		122.6	1383	1.37			11.42				22633	5907	
110.9		1530	1.44	12.63	23019	5851							
101.2		1677	1.43	13.84	23348	5888							
82.4		2059	1.26	16.99	23983	6266							
65.9		2574	1.09	21.25	24462	6745							
60.1		2822	1.03	23.29	24577	6937							
53.5		3169	0.95	26.15	24638	7222							
49.0		3465	0.87	28.60	24613	7535							
22		165.0	1222	1.23	8.48	S122	180L4		20640		5596	220-221	
		150.6	1339	1.27	9.30				20972		5602		
	122.6	1645	1.16	11.42	21641			5907					
	110.9	1819	1.21	12.63	21923			5851					
	101.2	1994	1.20	13.84	22147			5888					
	82.4	2448	1.06	16.99	22507			6266					
	65.9	3061	0.91	21.25	22617			6745					
	60.1	3356	0.86	23.29	22555			6937					